

S.C.

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	09/832,378	CARPENTER ET AL.
	Examiner	Art Unit
	Monique M Wills	1746

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the amendment filed 6/22/04.
2.  The allowed claim(s) is/are 1-10 and 13-21.
3.  The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 6/22/04
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

#### REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the instant claims are allowable over the prior art of record, because the prior art is silent to a process for the catalytic generation of hydrogen by the self-sustaining combination of partial oxidation and steam-reforming of a hydrocarbon comprising contacting a mixture of the hydrocarbon and an oxygen-containing gas and steam with a catalyst comprising rhodium dispersed on a refractory oxide support material which comprises as cations cerium and zirconium, wherein the weight ratio of cerium to zirconium in the support material is from 50:50 to 99.5:0.5.

The prior art, such as Rudy U.S. Patent 5,531,972, discloses a catalyst on a support material wherein the amount of ceria impregnated into the zirconia used is limited to not more than about 15 percent by weight, preferably not more than about 10 percent by weight ceria, expressed as the combined weight of the ceria and zirconia. By thus controlling the amount of ceria dispersed on the zirconia, it has been found that the adverse reaction between rhodium and ceria does not occur to any significant extent. See col. 6, lines 38-44. Not only does Rudy fail to explicitly teach a weight ratio of cerium to zirconium from 50:50 to 99.5:0.5, but the above teaching of Rudy would not motivate one of ordinary skill in the art to increase the cerium content to above 15 percent by weight, let alone to 50 percent. Therefore, the instant claims are patentably distinct from Rudy.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Monique Wills whose telephone number is (571) 272-1309. The Examiner can normally be reached on Monday-Friday from 8:30am to 5:00 pm.

If attempts to reach Examiner by telephone are unsuccessful, the Examiner's supervisor, Michael Barr, may be reached at 571-272-1414. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MICHAEL BARR  
SUPERVISORY PATENT EXAMINER

MW

09/02/04

